



CLINICAL
TRIALS
TRANSFORMATION
INITIATIVE

**Frequency, Formats and Competency
Measures for GCP Training Programs**

Gretchen Wild, MBA, MHA
Director of Clinical Research Operations
St. Jude Medical

Moderated Session

Session Goal

Identify suitable frequency, formats and competency measures for testing and certification

The literature review found little evidence for an optimum frequency, testing, or proof of GCP training

Frequency and Format Measures

Training frequency

Recommendation: Tiered levels of training (role based) every 3 years

Training format

Recommendation: The working group felt that online training may be best, but prefers to allow flexibility to the administering institution to fulfill their specific needs.

Competency Measures

Demonstration of competency (e.g., a quiz at the end of training)

Recommendation: The working group did not arrive at a firm conclusion on this topic and would like to pose this question at the expert meeting. The working group decided that the draft will contain verbiage stating that we recognize the benefit of testing within and across organizations, but do not have a specific recommendation for the format.

Testing out of training?

Recommendation: Since the recommended frequency is every 3 years, the need for “testing out” does not arise. The working group will not make any recommendations for testing out, this could be raised at the expert meeting to seek opinion

Panel Participants

- ▶ **Terri Hinkley, RN, BScN, MBA, CCRC**, Deputy Executive Director, ACRP
- ▶ **Bridget Foltz**, Health Scientist Policy Analyst, OGCP, FDA
- ▶ **Jeffrey Cooper, MD, MMM**, VP Global Consulting, WIRB-Copernicus Group
- ▶ **Barrett Katz, MD, MBA**, Executive Director, Office of Clinical Trials, Montefiore Medical Center
- ▶ **Sheri Jacobsen, BSN, MA**, Associate Director, Global Clinical Training, AbbVie

▶ THANK YOU



CLINICAL
TRIALS
TRANSFORMATION
INITIATIVE

www.ctti.clinicaltrials.org